
EU Declaration of Conformity according to Medical Device Regulation MDR 2017/745 Annex IV

We hereby declare that this EU Declaration of Conformity is issued under the sole responsibility of the manufacturer and the below mentioned products meet the provisions of the EU Regulation above. All supporting documentation is retained on the premises of the manufacturer and the Notified Body.

Product(s)	**IPS e.max ZirCAD MO** **IPS e.max ZirCAD LT** **IPS e.max ZirCAD Prime** **IPS e.max ZirCAD LT Colouring Liquids (incl. Diluter & Indicator)**
Basic-UDI-DI	76152082ACERA006F2
Document-ID	OTCS5999398
Document Version	4.0

Legal manufacturer		
ivoclar	Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan/Liechtenstein www.ivoclar.com	Phone +423 / 235 35 35, Fax +423 / 235 33 60 www.ivoclar.com Legal Form: Joint Stock Company Corporate Headquarters: 9494 Schaan Registration No.: FL-0001.001.595-7 VAT No.: 50639

EU Declaration of Conformity Information		
SRN	LI-MF-000000522	
Intended Purpose	Crowns and bridges in the anterior and posterior region.	
Category (MDCG 2019-14)	MDN 1103	Non-active dental implants and dental materials
EMDN Code + term	Q010699	Materials for the preparation of custom-made dental devices - other
MDS Code	---	
MDT Code	MDT 2003 MDT 2006 MDT 2011	
EU Risk Classification (MDR Annex VIII)	Medical Device Class IIa CE 0123	
Conformity Assessment Procedure (MDR Annex IX)	☒ Quality Management System ☐ Assessment of the Technical Documentation	
Notified Body Address	**TÜV SÜD Product Service GmbH** Ridlerstrasse 65 80339 München Deutschland	
EC Certificate No.	G10 043306 0270 Rev. 01	
Valid until	2026-05-04	

Document Control			
Name	**Place of issue**	**Date of issue**	**Signature**
Approver (PRRC): Dr. Thomas Völkel	Schaan, LI	29.01.2024	
Approver (CTO): Dr. Thomas Hirt	Schaan, LI	05.02.2024	

Revision History			
Version	**Date**	**Author**	**Remark**
1.0	2022-12-20	R. Ritter	First MDR Version
2.0	2023-08-17	R. Ritter	Add ZrO2 Speed-Sinter-Blocks (Design Review OTCS12017618)
3.0	2024-01-03	R. Ritter	APM108876 PMS 2023
4.0	2024-01-26	R. Ritter	APM109649

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000596825	IPS e.max ZirCAD inLab MO 0 C15/5	CLASS IIA	8
000596826	IPS e.max ZirCAD inLab MO 0 B40/3	CLASS IIA	8
000602439	IPS e.max ZirCAD inLab MO 0 C15 L/5	CLASS IIA	8
000602442	IPS e.max ZirCAD inLab MO 0 B40 L/3	CLASS IIA	8
000605453	IPS e.max ZirCAD inLab MO 0 B55/1	CLASS IIA	8
000605461	IPS e.max ZirCAD inLab MO 0 B65/1	CLASS IIA	8
000605469	IPS e.max ZirCAD inLab MO0 B65 L-17/1	CLASS IIA	8
000605471	IPS e.max ZirCAD inLab MO0 B85 L-22/1	CLASS IIA	8
000608450	IPS e.max ZirCAD inLab MO 1 C15/5	CLASS IIA	8
000608451	IPS e.max ZirCAD inLab MO 2 C15/5	CLASS IIA	8
000608458	IPS e.max ZirCAD inLab MO 1 C15 L/5	CLASS IIA	8
000608459	IPS e.max ZirCAD inLab MO 2 C15 L/5	CLASS IIA	8
000608466	IPS e.max ZirCAD inLab MO 1 B40/3	CLASS IIA	8
000608467	IPS e.max ZirCAD inLab MO 2 B40/3	CLASS IIA	8
000608474	IPS e.max ZirCAD inLab MO 1 B40 L/3	CLASS IIA	8
000608475	IPS e.max ZirCAD inLab MO 2 B40 L/3	CLASS IIA	8
000608482	IPS e.max ZirCAD inLab MO 1 B55/1	CLASS IIA	8
000608483	IPS e.max ZirCAD inLab MO 2 B55/1	CLASS IIA	8
000608490	IPS e.max ZirCAD inLab MO 1 B65/1	CLASS IIA	8
000608491	IPS e.max ZirCAD inLab MO 2 B65/1	CLASS IIA	8
000608498	IPS e.max ZirCAD inLab MO 1 B65 L-17/1	CLASS IIA	8
000608499	IPS e.max ZirCAD inLab MO 2 B65 L-17/1	CLASS IIA	8
000608506	IPS e.max ZirCAD inLab MO 1 B85 L-22/1	CLASS IIA	8
000608507	IPS e.max ZirCAD inLab MO 2 B85 L-22/1	CLASS IIA	8
000626589	IPS e.max ZirCAD inLab MO 0 C13/5	CLASS IIA	8
000626590	IPS e.max ZirCAD inLab MO 1 C13/5	CLASS IIA	8
000626591	IPS e.max ZirCAD inLab MO 2 C13/5	CLASS IIA	8
000686192	IPS e.max ZirCAD CER/inLab LT BL C17/5	CLASS IIA	8
000686193	IPS e.max ZirCAD CER/inLab LT A1 C17/5	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000686194	IPS e.max ZirCAD CER/inLab LT A2 C17/5	CLASS IIA	8
000686195	IPS e.max ZirCAD CER/inLab LT A3 C17/5	CLASS IIA	8
000686196	IPS e.max ZirCAD CER/inLab LT B1 C17/5	CLASS IIA	8
000686197	IPS e.max ZirCAD CER/inLab LT B2 C17/5	CLASS IIA	8
000686198	IPS e.max ZirCAD CER/inLab LT C2 C17/5	CLASS IIA	8
000686199	IPS e.max ZirCAD CER/inLab LT D2 C17/5	CLASS IIA	8
000686200	IPS e.max ZirCAD CER/inLab LT BL B45/3	CLASS IIA	8
000686201	IPS e.max ZirCAD CER/inLab LT A1 B45/3	CLASS IIA	8
000686202	IPS e.max ZirCAD CER/inLab LT A2 B45/3	CLASS IIA	8
000686203	IPS e.max ZirCAD CER/inLab LT A3 B45/3	CLASS IIA	8
000686204	IPS e.max ZirCAD CER/inLab LT B1 B45/3	CLASS IIA	8
000686205	IPS e.max ZirCAD CER/inLab LT B2 B45/3	CLASS IIA	8
000686206	IPS e.max ZirCAD CER/inLab LT C2 B45/3	CLASS IIA	8
000686207	IPS e.max ZirCAD CER/inLab LT D2 B45/3	CLASS IIA	8
000686216	IPS e.max ZirCAD PlanMill LT BL C17/5	CLASS IIA	8
000686217	IPS e.max ZirCAD PlanMill LT A1 C17/5	CLASS IIA	8
000686218	IPS e.max ZirCAD PlanMill LT A2 C17/5	CLASS IIA	8
000686219	IPS e.max ZirCAD PlanMill LT A3 C17/5	CLASS IIA	8
000686220	IPS e.max ZirCAD PlanMill LT B1 C17/5	CLASS IIA	8
000686221	IPS e.max ZirCAD PlanMill LT B2 C17/5	CLASS IIA	8
000686222	IPS e.max ZirCAD PlanMill LT C2 C17/5	CLASS IIA	8
000686223	IPS e.max ZirCAD PlanMill LT D2 C17/5	CLASS IIA	8
000686224	IPS e.max ZirCAD PlanMill LT BL B45/3	CLASS IIA	8
000686225	IPS e.max ZirCAD PlanMill LT A1 B45/3	CLASS IIA	8
000686226	IPS e.max ZirCAD PlanMill LT A2 B45/3	CLASS IIA	8
000686227	IPS e.max ZirCAD PlanMill LT A3 B45/3	CLASS IIA	8
000686228	IPS e.max ZirCAD PlanMill LT B1 B45/3	CLASS IIA	8
000686229	IPS e.max ZirCAD PlanMill LT B2 B45/3	CLASS IIA	8
000686230	IPS e.max ZirCAD PlanMill LT C2 B45/3	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000686231	IPS e.max ZirCAD PlanMill LT D2 B45/3	CLASS IIA	8
000686787	IPS e.max ZirCAD MO 0 98.5-10mm/1	CLASS IIA	8
000686788	IPS e.max ZirCAD MO 1 98.5-10mm/1	CLASS IIA	8
000686789	IPS e.max ZirCAD MO 2 98.5-10mm/1	CLASS IIA	8
000686790	IPS e.max ZirCAD MO 3 98.5-10mm/1	CLASS IIA	8
000686791	IPS e.max ZirCAD MO 4 98.5-10mm/1	CLASS IIA	8
000686792	IPS e.max ZirCAD MO 0 98.5-14mm/1	CLASS IIA	8
000686793	IPS e.max ZirCAD MO 1 98.5-14mm/1	CLASS IIA	8
000686794	IPS e.max ZirCAD MO 2 98.5-14mm/1	CLASS IIA	8
000686795	IPS e.max ZirCAD MO 3 98.5-14mm/1	CLASS IIA	8
000686796	IPS e.max ZirCAD MO 4 98.5-14mm/1	CLASS IIA	8
000686797	IPS e.max ZirCAD MO 0 98.5-18mm/1	CLASS IIA	8
000686798	IPS e.max ZirCAD MO 1 98.5-18mm/1	CLASS IIA	8
000686799	IPS e.max ZirCAD MO 2 98.5-18mm/1	CLASS IIA	8
000686800	IPS e.max ZirCAD MO 3 98.5-18mm/1	CLASS IIA	8
000686801	IPS e.max ZirCAD MO 4 98.5-18mm/1	CLASS IIA	8
000686802	IPS e.max ZirCAD MO 1 98.5-20mm/1	CLASS IIA	8
000686803	IPS e.max ZirCAD MO 2 98.5-20mm/1	CLASS IIA	8
000686804	IPS e.max ZirCAD MO 3 98.5-20mm/1	CLASS IIA	8
000686805	IPS e.max ZirCAD MO 4 98.5-20mm/1	CLASS IIA	8
000686806	IPS e.max ZirCAD MO 0 98.5-25mm/1	CLASS IIA	8
000686807	IPS e.max ZirCAD MO 1 98.5-25mm/1	CLASS IIA	8
000686808	IPS e.max ZirCAD MO 2 98.5-25mm/1	CLASS IIA	8
000686809	IPS e.max ZirCAD MO 3 98.5-25mm/1	CLASS IIA	8
000686810	IPS e.max ZirCAD MO 4 98.5-25mm/1	CLASS IIA	8
000686811	IPS e.max ZirCAD LT 0 98.5-10/1	CLASS IIA	8
000686812	IPS e.max ZirCAD LT 1 98.5-10/1	CLASS IIA	8
000686813	IPS e.max ZirCAD LT 2 98.5-10/1	CLASS IIA	8
000686814	IPS e.max ZirCAD LT 3 98.5-10/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000686815	IPS e.max ZirCAD LT 4 98.5-10/1	CLASS IIA	8
000686816	IPS e.max ZirCAD LT sun 98.5-10/1	CLASS IIA	8
000686817	IPS e.max ZirCAD LT sun chroma 98.5-10/1	CLASS IIA	8
000686818	IPS e.max ZirCAD LT 0 98.5-12/1	CLASS IIA	8
000686819	IPS e.max ZirCAD LT 1 98.5-12/1	CLASS IIA	8
000686820	IPS e.max ZirCAD LT 2 98.5-12/1	CLASS IIA	8
000686821	IPS e.max ZirCAD LT 3 98.5-12/1	CLASS IIA	8
000686822	IPS e.max ZirCAD LT 4 98.5-12/1	CLASS IIA	8
000686823	IPS e.max ZirCAD LT sun 98.5-12/1	CLASS IIA	8
000686824	IPS e.max ZirCAD LT sun chroma 98.5-12/1	CLASS IIA	8
000686825	IPS e.max ZirCAD LT 0 98.5-14/1	CLASS IIA	8
000686826	IPS e.max ZirCAD LT 1 98.5-14/1	CLASS IIA	8
000686827	IPS e.max ZirCAD LT 2 98.5-14/1	CLASS IIA	8
000686828	IPS e.max ZirCAD LT 3 98.5-14/1	CLASS IIA	8
000686829	IPS e.max ZirCAD LT 4 98.5-14/1	CLASS IIA	8
000686830	IPS e.max ZirCAD LT sun 98.5-14/1	CLASS IIA	8
000686831	IPS e.max ZirCAD LT sun chroma 98.5-14/1	CLASS IIA	8
000686832	IPS e.max ZirCAD LT 0 98.5-16/1	CLASS IIA	8
000686833	IPS e.max ZirCAD LT 1 98.5-16/1	CLASS IIA	8
000686834	IPS e.max ZirCAD LT 2 98.5-16/1	CLASS IIA	8
000686835	IPS e.max ZirCAD LT 3 98.5-16/1	CLASS IIA	8
000686836	IPS e.max ZirCAD LT 4 98.5-16/1	CLASS IIA	8
000686837	IPS e.max ZirCAD LT sun 98.5-16/1	CLASS IIA	8
000686838	IPS e.max ZirCAD LT sun chroma 98.5-16/1	CLASS IIA	8
000686839	IPS e.max ZirCAD LT 0 98.5-18/1	CLASS IIA	8
000686840	IPS e.max ZirCAD LT 1 98.5-18/1	CLASS IIA	8
000686841	IPS e.max ZirCAD LT 2 98.5-18/1	CLASS IIA	8
000686842	IPS e.max ZirCAD LT 3 98.5-18/1	CLASS IIA	8
000686843	IPS e.max ZirCAD LT 4 98.5-18/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000686844	IPS e.max ZirCAD LT sun 98.5-18/1	CLASS IIA	8
000686845	IPS e.max ZirCAD LT sun chroma 98.5-18/1	CLASS IIA	8
000686846	IPS e.max ZirCAD LT 0 98.5-20/1	CLASS IIA	8
000686847	IPS e.max ZirCAD LT 1 98.5-20/1	CLASS IIA	8
000686848	IPS e.max ZirCAD LT 2 98.5-20/1	CLASS IIA	8
000686849	IPS e.max ZirCAD LT 3 98.5-20/1	CLASS IIA	8
000686850	IPS e.max ZirCAD LT 4 98.5-20/1	CLASS IIA	8
000686851	IPS e.max ZirCAD LT sun 98.5-20/1	CLASS IIA	8
000686852	IPS e.max ZirCAD LT sun chroma 98.5-20/1	CLASS IIA	8
000686853	IPS e.max ZirCAD LT 0 98.5-25/1	CLASS IIA	8
000686854	IPS e.max ZirCAD LT 1 98.5-25/1	CLASS IIA	8
000686855	IPS e.max ZirCAD LT 2 98.5-25/1	CLASS IIA	8
000686856	IPS e.max ZirCAD LT 3 98.5-25/1	CLASS IIA	8
000686857	IPS e.max ZirCAD LT 4 98.5-25/1	CLASS IIA	8
000686858	IPS e.max ZirCAD LT sun 98.5-25/1	CLASS IIA	8
000686859	IPS e.max ZirCAD LT sun chroma 98.5-25/1	CLASS IIA	8
000686892	IPS e.max ZirCAD LT Col. Liq. A1 60ml	CLASS IIA	8
000686893	IPS e.max ZirCAD LT Col. Liq. A2 60ml	CLASS IIA	8
000686894	IPS e.max ZirCAD LT Col. Liq. A3 60ml	CLASS IIA	8
000686895	IPS e.max ZirCAD LT Col. Liq. A3.5 60ml	CLASS IIA	8
000686896	IPS e.max ZirCAD LT Col. Liq. A4 60ml	CLASS IIA	8
000686897	IPS e.max ZirCAD LT Col. Liq. B1 60ml	CLASS IIA	8
000686898	IPS e.max ZirCAD LT Col. Liq. B2 60ml	CLASS IIA	8
000686899	IPS e.max ZirCAD LT Col. Liq. B3 60ml	CLASS IIA	8
000686900	IPS e.max ZirCAD LT Col. Liq. B4 60ml	CLASS IIA	8
000686901	IPS e.max ZirCAD LT Col. Liq. C1 60ml	CLASS IIA	8
000686902	IPS e.max ZirCAD LT Col. Liq. C2 60ml	CLASS IIA	8
000686903	IPS e.max ZirCAD LT Col. Liq. C3 60ml	CLASS IIA	8
000686904	IPS e.max ZirCAD LT Col. Liq. C4 60ml	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000686905	IPS e.max ZirCAD LT Col. Liq. D2 60ml	CLASS IIA	8
000686906	IPS e.max ZirCAD LT Col. Liq. D3 60ml	CLASS IIA	8
000686907	IPS e.max ZirCAD LT Col. Liq. D4 60ml	CLASS IIA	8
000686924	IPS e.max ZirCAD LT Col. Liq. blue 15ml	CLASS IIA	8
000686926	IPS e.max ZirCAD LT Col. Liq. grey 15ml	CLASS IIA	8
000686927	IPS e.max ZirCAD LT Col. Liq.orange 15ml	CLASS IIA	8
000686928	IPS e.max ZirCAD LT Col. Liq. brown 15ml	CLASS IIA	8
000686951	IPS e.max ZirCAD Col Liq Indic. yel 15ml	CLASS IIA	8
000686952	IPS e.max ZirCAD Col Liq Indic. red 15ml	CLASS IIA	8
000686953	IPS e.max ZirCAD Col Liq Indic.blue 15ml	CLASS IIA	8
000687046	IPS e.max ZirCAD MO 0 98.5-20mm/1	CLASS IIA	8
000687595	IPS e.max ZirCAD Col. Liq. Diluter 60ml	CLASS IIA	8
000689495	IPS e.max ZirCAD LT BL 98.5-10/1	CLASS IIA	8
000689496	IPS e.max ZirCAD LT A1 98.5-10/1	CLASS IIA	8
000689497	IPS e.max ZirCAD LT A2 98.5-10/1	CLASS IIA	8
000689498	IPS e.max ZirCAD LT A3 98.5-10/1	CLASS IIA	8
000689499	IPS e.max ZirCAD LT B1 98.5-10/1	CLASS IIA	8
000689500	IPS e.max ZirCAD LT B2 98.5-10/1	CLASS IIA	8
000689501	IPS e.max ZirCAD LT C2 98.5-10/1	CLASS IIA	8
000689502	IPS e.max ZirCAD LT D2 98.5-10/1	CLASS IIA	8
000689503	IPS e.max ZirCAD LT BL 98.5-12/1	CLASS IIA	8
000689504	IPS e.max ZirCAD LT A1 98.5-12/1	CLASS IIA	8
000689505	IPS e.max ZirCAD LT A2 98.5-12/1	CLASS IIA	8
000689506	IPS e.max ZirCAD LT A3 98.5-12/1	CLASS IIA	8
000689507	IPS e.max ZirCAD LT B1 98.5-12/1	CLASS IIA	8
000689508	IPS e.max ZirCAD LT B2 98.5-12/1	CLASS IIA	8
000689509	IPS e.max ZirCAD LT C2 98.5-12/1	CLASS IIA	8
000689510	IPS e.max ZirCAD LT D2 98.5-12/1	CLASS IIA	8
000689511	IPS e.max ZirCAD LT BL 98.5-14/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000689512	IPS e.max ZirCAD LT A1 98.5-14/1	CLASS IIA	8
000689513	IPS e.max ZirCAD LT A2 98.5-14/1	CLASS IIA	8
000689514	IPS e.max ZirCAD LT A3 98.5-14/1	CLASS IIA	8
000689515	IPS e.max ZirCAD LT B1 98.5-14/1	CLASS IIA	8
000689516	IPS e.max ZirCAD LT B2 98.5-14/1	CLASS IIA	8
000689517	IPS e.max ZirCAD LT C2 98.5-14/1	CLASS IIA	8
000689518	IPS e.max ZirCAD LT D2 98.5-14/1	CLASS IIA	8
000689519	IPS e.max ZirCAD LT BL 98.5-16/1	CLASS IIA	8
000689520	IPS e.max ZirCAD LT A1 98.5-16/1	CLASS IIA	8
000689521	IPS e.max ZirCAD LT A2 98.5-16/1	CLASS IIA	8
000689522	IPS e.max ZirCAD LT A3 98.5-16/1	CLASS IIA	8
000689523	IPS e.max ZirCAD LT B1 98.5-16/1	CLASS IIA	8
000689524	IPS e.max ZirCAD LT B2 98.5-16/1	CLASS IIA	8
000689525	IPS e.max ZirCAD LT C2 98.5-16/1	CLASS IIA	8
000689526	IPS e.max ZirCAD LT D2 98.5-16/1	CLASS IIA	8
000689527	IPS e.max ZirCAD LT BL 98.5-18/1	CLASS IIA	8
000689528	IPS e.max ZirCAD LT A1 98.5-18/1	CLASS IIA	8
000689529	IPS e.max ZirCAD LT A2 98.5-18/1	CLASS IIA	8
000689530	IPS e.max ZirCAD LT A3 98.5-18/1	CLASS IIA	8
000689531	IPS e.max ZirCAD LT B1 98.5-18/1	CLASS IIA	8
000689532	IPS e.max ZirCAD LT B2 98.5-18/1	CLASS IIA	8
000689533	IPS e.max ZirCAD LT C2 98.5-18/1	CLASS IIA	8
000689534	IPS e.max ZirCAD LT D2 98.5-18/1	CLASS IIA	8
000689535	IPS e.max ZirCAD LT BL 98.5-20/1	CLASS IIA	8
000689536	IPS e.max ZirCAD LT A1 98.5-20/1	CLASS IIA	8
000689537	IPS e.max ZirCAD LT A2 98.5-20/1	CLASS IIA	8
000689538	IPS e.max ZirCAD LT A3 98.5-20/1	CLASS IIA	8
000689539	IPS e.max ZirCAD LT B1 98.5-20/1	CLASS IIA	8
000689540	IPS e.max ZirCAD LT B2 98.5-20/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000689541	IPS e.max ZirCAD LT C2 98.5-20/1	CLASS IIA	8
000689542	IPS e.max ZirCAD LT D2 98.5-20/1	CLASS IIA	8
000689543	IPS e.max ZirCAD LT BL 98.5-25/1	CLASS IIA	8
000689544	IPS e.max ZirCAD LT A1 98.5-25/1	CLASS IIA	8
000689545	IPS e.max ZirCAD LT A2 98.5-25/1	CLASS IIA	8
000689546	IPS e.max ZirCAD LT A3 98.5-25/1	CLASS IIA	8
000689547	IPS e.max ZirCAD LT B1 98.5-25/1	CLASS IIA	8
000689548	IPS e.max ZirCAD LT B2 98.5-25/1	CLASS IIA	8
000689549	IPS e.max ZirCAD LT C2 98.5-25/1	CLASS IIA	8
000689550	IPS e.max ZirCAD LT D2 98.5-25/1	CLASS IIA	8
000697457	IPS e.max ZirCAD Prime BL1 98.5-16/1	CLASS IIA	8
000697458	IPS e.max ZirCAD Prime BL2 98.5-16/1	CLASS IIA	8
000697459	IPS e.max ZirCAD Prime BL3 98.5-16/1	CLASS IIA	8
000697460	IPS e.max ZirCAD Prime BL4 98.5-16/1	CLASS IIA	8
000697461	IPS e.max ZirCAD Prime A1 98.5-16/1	CLASS IIA	8
000697462	IPS e.max ZirCAD Prime A2 98.5-16/1	CLASS IIA	8
000697463	IPS e.max ZirCAD Prime A3 98.5-16/1	CLASS IIA	8
000697464	IPS e.max ZirCAD Prime A3.5 98.5-16/1	CLASS IIA	8
000697465	IPS e.max ZirCAD Prime A4 98.5-16/1	CLASS IIA	8
000697466	IPS e.max ZirCAD Prime B1 98.5-16/1	CLASS IIA	8
000697467	IPS e.max ZirCAD Prime B2 98.5-16/1	CLASS IIA	8
000697468	IPS e.max ZirCAD Prime B3 98.5-16/1	CLASS IIA	8
000697469	IPS e.max ZirCAD Prime B4 98.5-16/1	CLASS IIA	8
000697470	IPS e.max ZirCAD Prime C1 98.5-16/1	CLASS IIA	8
000697471	IPS e.max ZirCAD Prime C2 98.5-16/1	CLASS IIA	8
000697472	IPS e.max ZirCAD Prime C3 98.5-16/1	CLASS IIA	8
000697473	IPS e.max ZirCAD Prime C4 98.5-16/1	CLASS IIA	8
000697474	IPS e.max ZirCAD Prime D2 98.5-16/1	CLASS IIA	8
000697475	IPS e.max ZirCAD Prime D3 98.5-16/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000697476	IPS e.max ZirCAD Prime D4 98.5-16/1	CLASS IIA	8
000697477	IPS e.max ZirCAD Prime BL1 98.5-20/1	CLASS IIA	8
000697478	IPS e.max ZirCAD Prime BL2 98.5-20/1	CLASS IIA	8
000697479	IPS e.max ZirCAD Prime BL3 98.5-20/1	CLASS IIA	8
000697480	IPS e.max ZirCAD Prime BL4 98.5-20/1	CLASS IIA	8
000697481	IPS e.max ZirCAD Prime A1 98.5-20/1	CLASS IIA	8
000697482	IPS e.max ZirCAD Prime A2 98.5-20/1	CLASS IIA	8
000697483	IPS e.max ZirCAD Prime A3 98.5-20/1	CLASS IIA	8
000697484	IPS e.max ZirCAD Prime A3.5 98.5-20/1	CLASS IIA	8
000697485	IPS e.max ZirCAD Prime A4 98.5-20/1	CLASS IIA	8
000697486	IPS e.max ZirCAD Prime B1 98.5-20/1	CLASS IIA	8
000697487	IPS e.max ZirCAD Prime B2 98.5-20/1	CLASS IIA	8
000697488	IPS e.max ZirCAD Prime B3 98.5-20/1	CLASS IIA	8
000697489	IPS e.max ZirCAD Prime B4 98.5-20/1	CLASS IIA	8
000697490	IPS e.max ZirCAD Prime C1 98.5-20/1	CLASS IIA	8
000697491	IPS e.max ZirCAD Prime C2 98.5-20/1	CLASS IIA	8
000697492	IPS e.max ZirCAD Prime C3 98.5-20/1	CLASS IIA	8
000697493	IPS e.max ZirCAD Prime C4 98.5-20/1	CLASS IIA	8
000697494	IPS e.max ZirCAD Prime D2 98.5-20/1	CLASS IIA	8
000697495	IPS e.max ZirCAD Prime D3 98.5-20/1	CLASS IIA	8
000697496	IPS e.max ZirCAD Prime D4 98.5-20/1	CLASS IIA	8
000725170	IPS e.max ZirCAD Prime BL1 98.5-14/1	CLASS IIA	8
000725171	IPS e.max ZirCAD Prime BL2 98.5-14/1	CLASS IIA	8
000725172	IPS e.max ZirCAD Prime BL3 98.5-14/1	CLASS IIA	8
000725173	IPS e.max ZirCAD Prime BL4 98.5-14/1	CLASS IIA	8
000725174	IPS e.max ZirCAD Prime A1 98.5-14/1	CLASS IIA	8
000725175	IPS e.max ZirCAD Prime A2 98.5-14/1	CLASS IIA	8
000725176	IPS e.max ZirCAD Prime A3 98.5-14/1	CLASS IIA	8
000725177	IPS e.max ZirCAD Prime A3.5 98.5-14/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000725178	IPS e.max ZirCAD Prime A4 98.5-14/1	CLASS IIA	8
000725179	IPS e.max ZirCAD Prime B1 98.5-14/1	CLASS IIA	8
000725180	IPS e.max ZirCAD Prime B2 98.5-14/1	CLASS IIA	8
000725181	IPS e.max ZirCAD Prime B3 98.5-14/1	CLASS IIA	8
000725182	IPS e.max ZirCAD Prime B4 98.5-14/1	CLASS IIA	8
000725183	IPS e.max ZirCAD Prime C1 98.5-14/1	CLASS IIA	8
000725184	IPS e.max ZirCAD Prime C2 98.5-14/1	CLASS IIA	8
000725185	IPS e.max ZirCAD Prime C3 98.5-14/1	CLASS IIA	8
000725186	IPS e.max ZirCAD Prime C4 98.5-14/1	CLASS IIA	8
000725187	IPS e.max ZirCAD Prime D2 98.5-14/1	CLASS IIA	8
000725188	IPS e.max ZirCAD Prime D3 98.5-14/1	CLASS IIA	8
000725189	IPS e.max ZirCAD Prime D4 98.5-14/1	CLASS IIA	8
000725190	IPS e.max ZirCAD Prime BL1 98.5-25/1	CLASS IIA	8
000725191	IPS e.max ZirCAD Prime BL2 98.5-25/1	CLASS IIA	8
000725192	IPS e.max ZirCAD Prime BL3 98.5-25/1	CLASS IIA	8
000725193	IPS e.max ZirCAD Prime BL4 98.5-25/1	CLASS IIA	8
000725194	IPS e.max ZirCAD Prime A1 98.5-25/1	CLASS IIA	8
000725195	IPS e.max ZirCAD Prime A2 98.5-25/1	CLASS IIA	8
000725196	IPS e.max ZirCAD Prime A3 98.5-25/1	CLASS IIA	8
000725197	IPS e.max ZirCAD Prime A3.5 98.5-25/1	CLASS IIA	8
000725198	IPS e.max ZirCAD Prime A4 98.5-25/1	CLASS IIA	8
000725199	IPS e.max ZirCAD Prime B1 98.5-25/1	CLASS IIA	8
000725200	IPS e.max ZirCAD Prime B2 98.5-25/1	CLASS IIA	8
000725201	IPS e.max ZirCAD Prime B3 98.5-25/1	CLASS IIA	8
000725202	IPS e.max ZirCAD Prime B4 98.5-25/1	CLASS IIA	8
000725203	IPS e.max ZirCAD Prime C1 98.5-25/1	CLASS IIA	8
000725204	IPS e.max ZirCAD Prime C2 98.5-25/1	CLASS IIA	8
000725205	IPS e.max ZirCAD Prime C3 98.5-25/1	CLASS IIA	8
000725206	IPS e.max ZirCAD Prime C4 98.5-25/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000725207	IPS e.max ZirCAD Prime D2 98.5-25/1	CLASS IIA	8
000725208	IPS e.max ZirCAD Prime D3 98.5-25/1	CLASS IIA	8
000725216	IPS e.max ZirCAD Prime D4 98.5-25/1	CLASS IIA	8
000740256	IPS e.max ZirCAD CER/in. LT A2 C17/1	CLASS IIA	8
000742230	IPS e.max ZirCAD LT A3.5 98.5-14/1	CLASS IIA	8
000742231	IPS e.max ZirCAD LT A4 98.5-14/1	CLASS IIA	8
000742232	IPS e.max ZirCAD LT B3 98.5-14/1	CLASS IIA	8
000742233	IPS e.max ZirCAD LT B4 98.5-14/1	CLASS IIA	8
000742234	IPS e.max ZirCAD LT C1 98.5-14/1	CLASS IIA	8
000742235	IPS e.max ZirCAD LT C3 98.5-14/1	CLASS IIA	8
000742256	IPS e.max ZirCAD LT C4 98.5-14/1	CLASS IIA	8
000742257	IPS e.max ZirCAD LT D3 98.5-14/1	CLASS IIA	8
000742258	IPS e.max ZirCAD LT D4 98.5-14/1	CLASS IIA	8
000742259	IPS e.max ZirCAD LT A3.5 98.5-18/1	CLASS IIA	8
000742260	IPS e.max ZirCAD LT A4 98.5-18/1	CLASS IIA	8
000742261	IPS e.max ZirCAD LT B3 98.5-18/1	CLASS IIA	8
000742262	IPS e.max ZirCAD LT B4 98.5-18/1	CLASS IIA	8
000742263	IPS e.max ZirCAD LT C1 98.5-18/1	CLASS IIA	8
000742264	IPS e.max ZirCAD LT C3 98.5-18/1	CLASS IIA	8
000742265	IPS e.max ZirCAD LT C4 98.5-18/1	CLASS IIA	8
000742266	IPS e.max ZirCAD LT D3 98.5-18/1	CLASS IIA	8
000742267	IPS e.max ZirCAD LT D4 98.5-18/1	CLASS IIA	8
000742268	IPS e.max ZirCAD LT A3.5 98.5-25/1	CLASS IIA	8
000742269	IPS e.max ZirCAD LT A4 98.5-25/1	CLASS IIA	8
000742270	IPS e.max ZirCAD LT B3 98.5-25/1	CLASS IIA	8
000742271	IPS e.max ZirCAD LT B4 98.5-25/1	CLASS IIA	8
000742272	IPS e.max ZirCAD LT C1 98.5-25/1	CLASS IIA	8
000742273	IPS e.max ZirCAD LT C3 98.5-25/1	CLASS IIA	8
000742274	IPS e.max ZirCAD LT C4 98.5-25/1	CLASS IIA	8

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.

ivoclar

Attachment to EU Declaration of Conformity (MDR) of
ZIRCAD MO/LT/PRIME/LT CL

Article No.	Description	MDR Classification (EU)	Rule MDR (EU)
000742275	IPS e.max ZirCAD LT D3 98.5-25/1	CLASS IIA	8
000742276	IPS e.max ZirCAD LT D4 98.5-25/1	CLASS IIA	8
000758432	IPS e.max ZirCAD CER/in.PrimeTest P. C17	CLASS IIA	8
000758434	IPS e.max ZirCAD CER/in.Prime BL1 C17/3	CLASS IIA	8
000758435	IPS e.max ZirCAD CER/in.Prime BL3 C17/3	CLASS IIA	8
000758436	IPS e.max ZirCAD CER/in.Prime 0 C17/3	CLASS IIA	8
000758437	IPS e.max ZirCAD CER/in.Prime A1 C17/5	CLASS IIA	8
000758438	IPS e.max ZirCAD CER/in.Prime A2 C17/5	CLASS IIA	8
000758439	IPS e.max ZirCAD CER/in.Prime A3 C17/5	CLASS IIA	8
000758440	IPS e.max ZirCAD CER/in.Prime A3.5 C17/5	CLASS IIA	8
000758441	IPS e.max ZirCAD CER/in.Prime B1 C17/3	CLASS IIA	8
000758442	IPS e.max ZirCAD CER/in.Prime B2 C17/3	CLASS IIA	8
000758443	IPS e.max ZirCAD CER/in.Prime C2 C17/3	CLASS IIA	8
000758444	IPS e.max ZirCAD CER/in.Prime D2 C17/3	CLASS IIA	8
000760311	IPS e.max ZirCAD CER/in.Prime A2 C17/1	CLASS IIA	8
000760312	IPS e.max ZirCAD CER/in.Prime A2 B50/1	CLASS IIA	8
000760313	IPS e.max ZirCAD CER.Pri A2,A3,A3.5C17/3	CLASS IIA	8
000760314	IPS e.max ZirCAD CER.Pri A2,A3,A3.5B50/3	CLASS IIA	8

Schaan, 13.02.2024

(this document is valid without signature)

The suffix of the article number (e.g. "AN", "EN", "AL", "WW") is only used for in-house reference and relates to the language version and/or electrical plug of the product. The suffix does not belong to the official article number.